




VIDEO OTOSCOPY SOLUTIONS

Video Otoscope
HD image,Portable,Efficient



6 LED Lights
Ultra compact with
integrated LED



HD Camera
1280*720 1million
high-definition pixels




Portable
Improve diagnostic
efficiency



Diameter Size
3.0mm-7.0mm
Including:Otoscope/Sinuscope(0°,30°)
Laryngoscope(70°,90°)/Flexible scope



Changeable Probes
A wide range of probes to meet the different needs of ENT.



Compatible
With Specula



Connect with flexible
Rhinolaryngoscope
through adapter



Hoster Machine Parameters

Model	Order Number	Display	Camera Resolution	Memory Type	Output
VOT-01	30101038	3inch LCD	1280*720	64GB Micro SD card	USB

Probe Parameters

Order Number	Working Length(mm)	Max OD(mm)	Field of View	Direction of View(DOV)	Application
308019	30	4.2	120°	0°	Ear
308020	80	4.2	120°	0°	Nose
308041	175	4.2	120°	0°	Flexible Laryngoscope/ Nose
308021	165	4.2	120°	0°	Sinuscope/ Laryngoscope
308044	175	6.0	120°	70°	
308045	175	7.0	120°	90°	
308022	175	7.0	120°	0°	
30102106	100	3.0	120°	0°	


Video Otoscope

Type-C Cable to PC / Laptop Windows/macOS/Android compatible

Mini HDMI synchronize displaying on computer and portable screen




Through adapter connect with Flexible Rhinolaryngoscope



Live Video Streaming Capability

BESDATA workstation for diagnosis report printing



Type-C USB cable



Hoster Machine Parameters

Model	Order Number	Display	Camera Resolution	Memory Type	Output
VOT-02	30101123	3inch LCD	1280*720	64GB Micro SD card	USB,mini HDMI

Probe Parameters

Order Number	Working Length(mm)	Max OD(mm)	Field of View	Direction of View(DOV)	Application
308019	30	4.2	120°	0°	Ear
308020	80	4.2	120°	0°	Nose
308041	175	4.2	120°	0°	Flexible Laryngoscope/ Nose
308021	165	4.2	120°	0°	Sinuscope/ Laryngoscope
308044	175	6.0	120°	70°	
308045	175	7.0	120°	90°	
308022	175	7.0	120°	0°	
30102106	100	3.0	120°	0°	

USB adapter between otoscope and flexible Rinolaryngoscope

Order Number	30102069	
--------------	----------	---

Video Otoscope

BESDATA workstation for diagnosis report printing

HD 1280*720
High-resolution

 Photo/Video
Capture

 USB Interface
For any computer/laptop



USB cable to PC/Laptop

Capture video and snapshot images. Connect Besdata workstation for diagnosis report printing.



4.2mm Insertion Tube

Slimmer insertion tube for greater comfort during examination and treatment.



Portable

Easy to carry, doctors can carry and use it in different clinical scenarios.



USB Interface

For connecting to computer, laptop and other devices.



Product Parameters

Model	Resolution	OD of Insertion Section	Working Length	Output
VRN-01	1280*720	3.0mm	180mm	USB
VRN-02	1280*720	4.2mm	160mm	USB



SHENZHEN BESDATA TECHNOLOGY CO.,LTD

503, Building #2, Xinnantian Industrial Park, No. 3179, Danzi Avenue, Laokeng Community, Longtian Street,
Pingshan District, Shenzhen

☎ +86-755-84416070

✉ support@besdatatech.com

🌐 www.besdatatech.com